Geochemical Mapping of Western Europe towards the Year 2000.

REPORT No. 6

On the occurrence of overbank sediment in Denmark



Western European Geological Surveys.



Address: P.O. Box 3006 Lade, N-7002 Trondheim, Norway Telephone: 47 - 7 - 90 40 11 Telefax:47 - 7 - 92 16 20 Telex: 55417 NGU N

Telex: 55417 NG

NGU Report 91.205
13. August 1991

WESTERN EUROPEAN GEOLOGICAL SURVEYS

Geochemical Mapping of Western Europe Towards the Year 2000

Report No 6

On the occurrence of overbank sediment in Denmark

Report from a field excursion in Denmark 23. may 1991

Jim Bogen (Norway)

Bent Hasholt (Denmark)

Ole Stig Jacobsen (Denmark)

Rolf Tore Ottesen (Norway)



Postboks 3006 - Lade 7002 Trondheim Tlf. (07) 92 16 11 Telefax (07) 92 16 20

RAPPORT

Rapport nr. 91.205		ISSN 0800-3416		Åpen/ /Fæxtxoligstil	
Tittel:					
On the occurrence of overbank sediment in Denmark. Report from a field excursion in Denmark, 23. May 1991.					
Forfatter:			Oppdragsgiver:		
Jim Bogen, Bent Hasholt Ole Stig Jacobsen, Rolf Tore Ottesen			WEGS/NGU		
Fylke:			Kommune:		
Kartbladnavn (M. 1:250 000)			Kartbladnr. og -navn (M. 1:50 000)		
Forekomstens navn og koordinater:			Sidetall: 6	Pris: NOK 25,-	
			Kartbilag:		
Feltarbeid utført:	Rapporte	dato:	Prosjektnr.:	Seksjonssjef:	
	Jun	e 3, 1991	63.2483.01	Bjoin Breide	
Observations made on and can be sampled i	a field	d excursion inc parts of Denma	dicate that ove	rbank sediment exists	
Emneord Fagrapport Geokjer		mi	Elveavsetning		
Regional kartle	gging				

INTRODUCTION

A short field excursion was arranged in Denmark (23. May 1991) with participants from Denmark (Bent Hasholt and Ole Stig Jacobsen) and Norway (Jim Bogen and Rolf Tore Ottesen).

The purpose of the excursion was to investigate the existence of overbank sediment in different geomorphological terrain in Denmark, i.e. 1) the till areas of eastern Jylland (Jutland) and 2) the glacial outwash areas of western Jylland.

The following locations were visited; 1) eastern Jylland: Vejle Å at Slotshov, Vejle Å at Vork and 2) western Jylland: Holme Å at Vesterdam, Ansager Å at Lavborg, Grindsted Å at Ålling, and Grindsted Å at Kalsgårde.

The main conclusion is that overbank sediment exists and can be sampled.

CHARACTERISTICS OF RIVER PLAINS IN JYLLAND

Eastern Jylland

In eastern Jylland the landscape is a hilly till terrain of relatively high relief. River valleys shaped in loose material are a characteristic element in the landscape. River plains are confined by valley walls. At the locations visited about 2 meters high sequences of overbank sediment are visible. Pure minerogenic layers interchange with organic rich layers. Extensive back-swamp areas exist away from the present river channel. These areas are dominated by organic material.

Sediment yields are estimated to 5-10 tons/km²/year bedload and 5-10 tons/km²/year suspended load. The sediments are formed mainly by channel- and bank erosion and through supply from ditches and agricultural land. Traces of formerly active gullying and mass movement were observed.

During the last 100 years an extensive lowering of channels has been carried out in order to dry up the river plains. The present river maintainance work involving clearing of the channels and dredging has resulted in artificial man-made deposits on top of the river banks.

Western Jylland

Western Jylland consists of landscapes of pre Weicksel origin intersected by outwash plains from Weichsel. The rivers are rarely confined. At the visited locations, the top layers of the river plains consist of nearly pure organic material. Minerogenic matter banged with organic layers are present deeper in the sequence. Iron staining is common.

Sediment yields of suspended sediments are in the order of 10 tons/km²/year. Bed load amounts to 10-20 tons/km²/year. As in eastern Jylland the sediments are formed mainly by channel- and bank erosion and through supply from ditches. Undercutting of glacial materials in slopes ajacent to the rivers were observed.

The rivers of western Jylland are less influenced by man than to the rivers of eastern Jylland.

CONCLUSION

Based on the observations made at the few locations we visited it was concluded that overbank sediment are present and can be sampled at least in large parts of Denmark.

WESTERN EUROPEAN GEOLOGICAL SURVEYS (WEGS)

Geochemical Mapping of Western Europe towards the Year 2000

REPORTS

For the purposes of registration, storage and retrieval the reports are also numbered in the Open File Report Series of the Geological Survey of Norway, (NGU).

- No 1. Demetriades, A., Ottesen, R.T. and Locutura, J. (eds.), 1990: Geochemical Mapping of Western Europe towards the Year 2000. Pilot Project Report. NGU Report 90-105, 9 pages and 10 appendices.
- No 2. Bølviken, B., Demetriades, A., Hindel, R., Locutura, J., O'Connor, P., Ottesen, R.T., Plant, J., Ridgway, J., Salminen, R., Salpeteur, I., Schermann, O. and Volden, T. (eds.), 1990: Geochemical Mapping of Western Europe towards the year 2000. Project Proposal. NGU Report 90-106, 12 pages and 9 appendices.
- No. 3. Bølviken, B., Demetriades, A., Ebbing, J., Hindel, R., Ottesen, R.T., Plant, J., Ridgway, J., Salminen, R. and Stavrakis, P., 1991: Minutes from meeting in Athens, Greece 15.-18. October 1990 with an appendix by Demetriades, A.: Publication of Pilot Project Results. NGU Report 91-202.
- No. 4. Demetriades, A., 1991: Minutes from Project meeting in Heerlen, Netherlands 27-28 May 1991, with 2 Appendices. 1) Ridgway, J. and Plant, J.: Within and between site variability in the composition of overbank sediment. Project Proposal. 2) Ebbing, J. and Swennen, R.: Excursion to the Geul River Valley, Belgium and Netherlands. NGU Report 91-203.
- No. 5. Bølviken, B and Ottesen, R.T., 1991: Activities and Plans 1991-92. NGU Report 91-204.
- No. 6. Bogen, J., Hasholt, B., Jacobsen, O. and Ottesen, R.T., 1991: On the occurrence of overbank sediment in Denmark. NGU Report 91-205.
- No. 7. Bølviken, B., 1991: Annual Report 1990 91. NGU Report 91.206.